May 2022				
Bus #	Driver	Route Miles	Trip Miles	Total Miles
12	Sub	0	0	0
15	Sub	8	0	8
16	Sub	0	0	0
17	Sub	0	0	0
19	Sub	0	0	0
20	Janae Fairchild	318	0	318
22	Sub	332	0	332
23	Sub	0	0	0
24	Amy Davis	677	0	677
25	Bobby Hogan	197	0	197
26	Eddie G/Sandy D	1121	0	1121
27	Clyde Backer	687	0	687
28	Barbara Dart	1661	0	1661
29	Brian Little	0	0	0
30	Scott McCullom	451	0	451
31	Pat Shimer	1356	0	1356
32	Belinda Haslett	1461	0	1461
33	Kelli Philpott	3020	0	3020
34	Doel Frazier	1328	0	1328
35	Beth Spivey	1136	0	1136
36	Blake West	774	0	774
37	Wendy Jackson	1220	210	1430
38	Sub	0	1090	1090
	Total	15747	1300	17047

Athletic Trip Mileage						
Date	Driver	Bus #	Miles	Hours	Destination	Explanation
May 22, 2022	Sandy Duncan	38	48	5.5	Springdale	Jr Cheer

Athletic Trip Mileage D	riven by Coach					
Date	Driver	Bus #	Miles	Hours	Destination	Explanation
May 3, 2022	Justin Bigham	38	203	4.5	Harrison	Track

Field Trip Mileage						
Date	Driver	Bus#	Miles	Hours	Destination	Explanation
May 11, 2022	Amy Davis	38	58	6.75	Rogers	Quest
May 13, 2022	Kelli Phipott	38	21	1.75	JBU	Band
May 17, 2022	Amy Davis	38	191	7	Tulsa	AP Biology
May 18, 2022	Amy Davis	37	205	12.25	Branson	5th Grade
May 18, 2022	Belinda Haslett	38	206	7.75	Branson	5th Grade
May 19, 2022	Clyde Backer	38	76	6.75	Fayetteville	Biology
May 20, 2022	Scott McCollum	38	261	4	Branson	Band
•			1018	46.25		•

rd Taurus Trip Mileage				
Date	Driver	Miles	Explanation	Destination
May 2, 2022	C Haslett	66	Parts	Springdale
May 5, 2022	D Johnson	3	Shuttle Students	Local
May 6, 2022	C Haslett	15	Parts	Siloam Springs
May 9, 2022	D Johnson	3	Shuttle Students	Local
May 10, 2022	D Johnson	2	Shuttle Students	Local
May 11, 2022	C. Millisap	74	Coop	Farmington
May 18, 2022	C Haslett	62	Parts	Springdale
May 20, 2022	Gail Backer	3	Fuel	Local
May 24, 2022	C Haslett	68	NTI Training	Springdale
May 26, 2022	C Haslett	500	ASE Cert. Meeting	Searcy
·		796		•

Chevy Impala Trip Mil	eage			
Date	Driver	Miles	Explanation	Destination
May 1 -25, 2022	Students	418	Drivers Ed	Local

Caravan Trip Mileage				
Date	Driver	Miles	Explanation	Destination
May 3, 2022	Groomer	2	Sick Child	Local
May 5, 2022	D Johnson	14	PU student	Local
May 6, 2022	D Johnson	2	Shuttle Student	Local
May 7, 2022	Fairchild	467	Trap	Jacksonvillle
May 9, 2022	Gail Backer	4	Fuel	Local
May 10, 2022	Groomer	6	PU student	Local
May 11, 2022	J. Toland	311	ATU Tour	Russellville
May 12, 2022	Gail Backer	3	Fuel	Local
May 12, 2022	D Johnson	2	Shuttle Student	Local
May 13, 2022	C Haslsett	3	Main office	Local
May 17, 2022	D Johnson	4	Parts	Local
May 17, 2022	C Haslsett	68	NTI Classes	Springdale
May 18, 2022	Ramey	71		Fayetteville
May 19, 2022	D Johnson	3	Shuttle Student	Local
May 20, 2022	Gail Backer	3	Fuel	Local
May 24, 2022	Ivey	1238	OM	Ames IA
•		2201		•

aravan #2 Trip Mileage				
Date	Driver	Miles	Explanation	Destination
May 11, 2022	Ramsey	303	Meet of Champs	Russellville
May 12, 2022	Gail Backer	5	Fuel	Local
May 12, 2022	Mary	52	Nurses meeting	Rogers
May 18, 2022	Vaughan	202	5th grade	Branson
May 19, 2022	Campbell	72		Fayetteville
May 20, 2022	Gail Backer	3	Fuel	Local
May 24, 2022	Ivey	1187	OM	Ames, IA
•		1824		

Fuel Usage				
Gasoline	Gasoline	Diesel	Diesel	Gasoline
School Cars	Maintenance Trucks	Grounds Equipment	Buses	Grounds Equipment
138.90 gals / \$559.21	54.3 gals / \$217.66	57.0 gals / \$131.28	2428.0 gals / \$5592.17	50.0 gals / \$189.36

_

Completed Transportation Workorders				
Number	Bus#	Туре	Completed	Performed By
WO13677	11-3-12	Scheduled	5/3/2022	Chad Haslett
WO13839	11-3-31	Scheduled	5/2/2022	David Johnson
WO13857	11-3-36	Scheduled	5/3/2022	David Johnson
WO13859	11-3-36	Scheduled	5/3/2022	Chad Haslett
WO13863	11-3-15	Scheduled	5/2/2022	David Johnson
WO13865	11-3-15	Scheduled	5/2/2022	Chad Haslett
WO13870	11-3-12	Scheduled	5/3/2022	David Johnson
WO13871	11-3-31	Scheduled	5/2/2022	Chad Haslett
WO13872	11-3-31	Scheduled	5/2/2022	Chad Haslett
WO13880	11-3-31	Scheduled	5/2/2022	David Johnson
WO13882	11-3-36	Scheduled	5/3/2022	David Johnson
WO13883	11-3-35	Scheduled	5/5/2022	Chad Haslett
WO13884	11-3-35	Scheduled	5/4/2022	David Johnson
WO13885	11-3-25	Scheduled	5/5/2022	David Johnson
WO13886	11-3-30	Scheduled	5/9/2022	David Johnson
WO13887	11-3-30	Scheduled	5/9/2022	Chad Haslett
WO13888	11-3-25	Scheduled	5/5/2022	Chad Haslett
WO13889	11-3-30	Scheduled	5/9/2022	Chad Haslett
WO13890	11-3-37	Scheduled	5/4/2022	Chad Haslett
WO13891	11-3-37	Scheduled	5/4/2022	David Johnson
WO13892	11-3-32	General Repair	5/4/2022	David Johnson
WO13893	11-3-32	Scheduled	5/4/2022	David Johnson
WO13894	11-3-32	Scheduled	5/5/2022	Chad Haslett
WO13895	11-3-32	Scheduled	5/5/2022	David Johnson
WO13896	Caravan 2	Scheduled	5/16/2022	Chad Haslett
WO13897	11-3-33	Scheduled	5/6/2022	David Johnson
WO13898	11-3-24	Scheduled	5/5/2022	Chad Haslett
WO13899	11-3-24	Scheduled	5/5/2022	David Johnson
WO13901	11-3-33	Scheduled	5/6/2022	David Johnson
WO13902	11-3-33	Scheduled	5/6/2022	Chad Haslett
WO13903	11-3-33	Scheduled	5/6/2022	David Johnson

WO13904	11-3-28	Scheduled	5/9/2022	David Johnson
WO13905	11-3-28	Scheduled	5/9/2022	Chad Haslett
WO13906	11-3-28	Scheduled	5/9/2022	Chad Haslett
WO13907	Taurus	Scheduled	5/18/2022	Chad Haslett
WO13908	11-3-24	General Repair	5/10/2022	David Johnson
WO13911	Caravan 2	Scheduled	5/16/2022	Chad Haslett
WO13912	11-3-32	General Repair	5/16/2022	David Johnson
WO13913	FLOORB1	Scheduled	5/17/2022	David Johnson
WO13914	FLOORB2	Scheduled	5/17/2022	David Johnson
WO13915	11-3-35	General Repair	5/16/2022	David Johnson
WO13916	11-3-29	Scheduled	5/18/2022	Chad Haslett
WO13917	11-3-26	Scheduled	5/20/2022	David Johnson
WO13918	11-3-27	Scheduled	5/19/2022	David Johnson
WO13919	11-3-27	Scheduled	5/19/2022	Chad Haslett
WO13920	11-3-38	Scheduled	5/23/2022	David Johnson
WO13921	Taurus	General Repair	5/18/2022	Chad Haslett
WO13922	11-3-34	General Repair	5/18/2022	David Johnson
WO13923	11-3-34	General Repair	5/18/2022	David Johnson
WO13925	11-3-31	Scheduled	5/19/2022	David Johnson
WO13927	FLOORS1	Scheduled	5/23/2022	Jo Young
WO13928	FLOORS2	Scheduled	5/23/2022	Jo Young
WO13929	FLOORS3	Scheduled	5/23/2022	Jo Young
WO13930	FLOORS4	Scheduled	5/23/2022	Jo Young
WO13931	FLOORS5	Scheduled	5/23/2022	Jo Young
WO13932	FLOORS6	Scheduled	5/23/2022	Jo Young
WO13933	FLOORS7	Scheduled	5/23/2022	Jo Young
WO13934	FLOORS8	Scheduled	Scheduled 5/23/2022	
WO13935	FLOORS9	Scheduled	5/23/2022	Jo Young
WO13967	Caravan	General Repair	5/23/2022	Chad Haslett
WO13971	11-3-34	General Repair	5/25/2022	David Johnson

61 Completed Transportation Workorders

Completed Maintenance Workorders

No No	Descriptions	Completion Date	Requester	Assigned To	Location
24182	Yearly - Portable CR Fire Alarm Yrly - Refer to PM schedule details.	5/23/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24321	door knobs for the garage entry door, and coat hooks for both offices.	5/24/2022		Lemke, Jonathan	Transportation
24603	Major mouse/rat problem at the greenhouse - they are tearing up our plant. I know its because the rabbits are there, they will be moving out next week. Can we please try to do some bait or something ASAP.	5/31/2022	Wendy Jackson	Barrett, Jason	Gentry High School
24715	Fix stage lights.	5/4/2022	Tiffanie Jones	Lemke, Jonathan	Gentry High School
24735	New electrical box for court lights is making a loud noise. Please check asap.	5/4/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24741	The AC is not working in Mrs. Harrison's room upstairs.	5/25/2022	Kaley Nelson	Lemke, Jonathan	Gentry Intermediate School
24744	I have purchased a book drop that I need put together. :)	5/20/2022	Angie Edwards	Lemke, Jonathan	Gentry Intermediate School
24759	Yearly - Portable CR Electrical - Refer to PM schedule details.	5/18/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24760	Monthly - High School Fire Alarm Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24761	Monthly - High School Emergency Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24762	Monthly - High School Fire Extinguisher Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24763	Monthly - High School Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24764	Monthly - New Agri. Split Units Semi Annual - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24765	Monthly - New Agri. Roof Semi Annual - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24766	Monthly - New Agri. Fire Alarm Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24767	Monthly - New Agri. Emergency Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24768	Monthly - New Agri. Fire Extinguisher Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24769	Monthly - New Agri. Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24770	Monthly - Old Agri. Split Units Semi. Annual - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24771	Monthly - old Agri. Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24772	Monthly - Old Agri. Roof Semi Annual - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24773	Monthly - Old Agri Fire Alarms Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24774	Monthly - Old Agri Emergency Lighting Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24775	Monthly - Old Agri Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry High School

24776	Monthly - Old Agri Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24777	Monthly - Central Office Split Units Semi Annual - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24778	Monthly - Central Office Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24779	Monthly - Central Office Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24780	Monthly - Central Office Emerg. Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24781	Monthly - Central Office Fire Extinguisher Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24782	Monthly - Central Office Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24783	Monthly - Int. Main Bldg. Fire Alarms Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24784	Monthly - Int. Main Bldg. Playground Monthly - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24785	Monthly - Int. Main Bldg. Emerg. Lighting Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24786	Monthly - Int. Main Bldg. Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24787	Monthly - Maint/Storage Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24788	Monthly - Maint/Storage Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24789	Monthly - Int. Main Bldg Fire Extinguishers Monthy - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
24790	Monthly - Maint/Storage Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
24791	Monthly - Old Nurse Split Units Semi Annual - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24792	Monthly - Old Nurse Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24793	Monthly - Old Nurse Roof Semi Annual - Refer to PM schedule details.	5/18/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24794	Monthly - Old Nurse Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24795	Monthly - Old Nurse Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
24796	Monthly - Old Nurse Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24797	Monthly - Old P/T Wrkrm Split Units Semi Annual - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24798	Monthly - Old P/T Wrkrm Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24799	Monthly - Old P/T Wrkrm Roof Semi Annual - Refer to PM schedule details.	5/18/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24800	Monthly - Old P/T Wrkrm Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24801	Monthly - Old P/T Wrkrm Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
			!	<u> </u>	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~

24802	Monthly - Old P/T Wrkrm Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24803	Monthly - Old PT/OT/Cust Split Units Semi	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24804	Annual - Refer to PM schedule details. Monthly - Old PT/OT/Cust Fire Extinguishery Monthl - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
24805	Monthly - Old PT/OT/Cust Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24806	Monthly - Old PT/OT/Cust Roof Semi Annual - Refer to PM schedule details.	5/18/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24807	Monthly - Old PT/OT/Cust Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24808	Monthly - Old PT/OT/Cust Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24809	Monthly - Old Third Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24810	Monthly - Old Third Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Intermediate School
24811	Monthly - Old Third Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Intermediate School
24812	Monthly - Carl Gym Fire Extinguishers Monthly - Refer to PM schedule details.	5/4/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24813	Monthly - Carl Gym Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24814	Monthly - Middle School Fire Alarms Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24815	Monthly - Middle School Playground Monthly - Refer to PM schedule details.	5/9/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24816	Monthly - Middle School Emerg. Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Middle School
24817	Monthly - Middle School Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Middle School
24818	Monthly - Middle School Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Middle School
24819	Monthly - Primary Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry Primary School
24820	Monthly - Primary Playground Monthly - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry Primary School
24821	Monthly - Primary Emerg. Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Primary School
24822	Monthly - Primary Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry Primary Schoo
24823	Monthly - Primary Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry Primary Schoo
24824	Monthly - SP ED Admin Fire Alarms Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Special Education Administration
24825	Monthly - SP ED Admin Fire Extinguishers Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Special Education Administration
24826	Monthly - PS ED Admin Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Special Education Administration
24827	Monthly - Bus Garage Emerg. Lighting Monthly - Refer to PM schedule details.	5/4/2022	Jason Barrett	Lemke, Jonathan	Transportation
			+		

24828	Monthly - Bus Garage Fire Extinguishers Monthly - Refer to PM schedule details.	5/4/2022	Jason Barrett	Lemke, Jonathan	Transportation
24829	Monthly - Bus Garage Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Transportation
24831	Monthly - PAC Fire Extinguisher Inspection Monthly - Refer to PM schedule details.	5/9/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24832	Monthly - PAC Fire Alarm Inspection Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24833	Monthly - PAC Emerg./Exit Light Inspection Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24834	Monthly - Primary Cafeteria Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Duncan, Sandy	Gentry Primary School
24835	Monthly - Intermediate Cafeteria Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Duncan, Sandy	Gentry Intermediate School
24836	Monthly - High/Middle Cafeteria Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Duncan, Sandy	Gentry High School
24837	Monthly - Primary Campus Safety Inspection - Refer to PM schedule details.	5/23/2022	Jason Barrett	Groomer, Victoria	Gentry Primary School
24838	Monthly - Intermediate School Safety Inspection - Refer to PM schedule details.	5/23/2022	Jason Barrett	Neal, Keeta	Gentry Intermediate School
24839	Monthly - Middle School Campus Safety Inspection - Refer to PM schedule details.	5/23/2022	Jason Barrett	Freeman, Danielle	Gentry Middle School
24840	Monthly - High School Campus Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Harper, Brae	Gentry High School
24841	Monthly - Central Office Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Metz, Terrie	Gentry Intermediate School
24842	Monthly - Transportation Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Transportation
24843	Monthly - Pressbox/Concession Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Gentry High School
24844	Monthly - PAC Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Gentry High School
24845	Monthly - Carl Gym Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Gentry Middle School
24846	Monthly - Football Concession Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Gentry High School
24847	Monthly - FB Concession Emergency Lighting Monthly - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24848	Monthly - FB Concession Fire Alarms Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24849	Monthly - FB Concession Fire Extinguisher Monthly - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24850	Monthly - FB Concession Pest Control Monthly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24851	Monthly - FB Concession Air Filters Quarterly - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24852	Monthly - FB Concession Kitchen Vent Semi Annual - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24853	Monthly - FB Concession Roof Semi Annual - Refer to PM schedule details.	5/10/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24854	Monthly - FB Concession Split Units Semi Annual - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School

24855	Monthly - SPED Building Safety Inspection - Refer to PM schedule details.	5/3/2022	Jason Barrett	Barrett, Jason	Special Education Administration
24856	Monthly - GCTEC Monthly Fire Extinguisher - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24857	Monthly - GCTEC Emergency Lighting Monthly - Refer to PM schedule details.	5/3/2022	Jason Barrett	Young, Jo	Gentry High School
24858	Monthly - GCTEC Fire Alarm Monthly Inspection - Refer to PM schedule details.	5/2/2022	Jason Barrett	Lemke, Jonathan	Gentry High School
24859	Monthly - Monthly-Elevator Fireman's Service Test - Refer to PM schedule details.	5/23/2022	Jason Barrett	Barrett, Jason	Gentry Intermediate School
24860	MY MOP BUCKETS ARE HARD TO ROLL CAN YOU LOOK AT THEM AND SEE WHAT YOU CAN DO OR PUT NEW WHEELS ON THEM??	5/16/2022	Annette Selent	Hollaway, Bob	Gentry High School
24861	Left urinal in the boys locker room in the gym overflows anytime its flushed.	5/5/2022	Kaley Nelson	Lemke, Jonathan	Gentry Intermediate School
24862	I've been asked to complete a maintenance request for Ms. Buss' room - 128. It is very hot in her room. Can't adjust the temperature	5/4/2022	Sharon Selvidge	Lemke, Jonathan	Gentry Primary School
24863	Need to put up signs for summer program at front of intermediate and primary schools. I have the signs.	5/5/2022	Sandy Duncan	Hollaway, Bob	Gentry Intermediate School
24864	broken toilet in boys bathroom in math hallway	5/6/2022	Emily Hodges	Hollaway, Bob	Gentry High School
24865	A light is going out in the training room. It is flashing on and off.	5/9/2022	Brent Hester	Hollaway, Bob	Gentry High School
24866	The lightbulbs outside my door in the hallway are completely out.	5/9/2022	Joni Wilson	Hollaway, Bob	Gentry High School
24867	Leak from the ceiling	5/5/2022	Amanda Dobbs	Lemke, Jonathan	Gentry High School
24872	Fix wiring in light near Joni Wilson's classroom	5/9/2022		Hollaway, Bob	Gentry High School
24874	My thermostat is dead. I have replaced the batteries. The screen shows for a few seconds then fades out.	5/9/2022	Craig Millsap	Lemke, Jonathan	Gentry Intermediate School
24876	Door Jam is sticking, Door will not close or lock without physical force.	5/10/2022	Maryanne Atchley-Babb	Lemke, Jonathan	Gentry Middle School
24877	Large white board under window behind promethean board in classroom needs to be moved to storage.	5/10/2022	Maryanne Atchley-Babb	Lemke, Jonathan	Gentry Middle School
24878	Air conditioner will not come on, neither will the fan.	5/13/2022	Rebecca Tingley	Lemke, Jonathan	Gentry High School
24883	Turn water fountains on.	5/12/2022	Jason Barrett	Hollaway, Bob	District Wide
24885	Replace soap dispenser in Mrs. Beeler's classroom	5/10/2022	Jonathan Lemke	Hollaway, Bob	Gentry Primary Schoo
24887	Toilet is leaking and now spewing in the girls bathroom by the gym	5/17/2022	Vickey Dalla Rosa	Hollaway, Bob	Gentry Middle School
24888	I can not get my key to work for my medication cabinets, mainly the right one. See Mary Bailey for details please. Thank you!	5/12/2022	Ginger Duncan	Hollaway, Bob	Gentry Intermediate School
24889	We have a bird in the cafeteria. Please remove it!	5/13/2022	Victoria Groomer	Lemke, Jonathan	Gentry Primary Schoo

24891 BACK DOOR KNOB CAME OFF ON BOTH 517-2022 Annetes Selent Lemke, Jonathun Gentry Primary School 24893 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24894 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24895 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24896 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24896 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Toilet seat needs to be fixed 517-2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking, Rug Isoaked School 24899 Replace light bulbs in balluronus. School 34899 Replace light bulbs in balluronus. The air conditioner will not work. The heat study in and it stays for its need Isoaked Great School 34899 The air conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study and the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study of the conditioner will not work. The heat study and the study are the study and		Last stall needs wax ring replaced.				
24892 SIDES 51/2/0/22 Victoria Groomer Hollaway, Bob Gentry Primary School 24894 Toilet seat needs to be fixed 51/2/022 Victoria Groomer Hollaway, Bob Gentry Primary School 24895 Toilet seat needs to be fixed 51/2/022 Victoria Groomer Hollaway, Bob Gentry Primary School 24896 Toilet seat needs to be fixed 51/2/022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Toilet seat needs to be fixed 51/2/022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Toilet seat needs to be fixed 51/2/022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking. Rug Is socked. To be a state of the sea of	24891	G 1	5/13/2022	Victoria Groomer	Lemke, Jonathan	Gentry Primary School
24894 Tollet seat needs to be fixed 5/13/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24895 Tollet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24896 Tollet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Tollet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking. Rug is soaked. 24898 Water fountain by teachers' lounge is leaking. Rug is soaked. 24899 Replace light bulbs in bulturoums. 5/13/2022 Janue Fairchild Hollaway, Bob Gentry Primary School 24890 on and it stays? is in there the swill be used as offices and it is very bot in bert. If you go into the dar room is through there the swill be used as offices and it is very bot in bert. If you go into the dar room is through there on the other side. 2nd 24904 Sink is fasking undermeath, just noticed the bottom cabinet has water in it. 24901 FLEASE check our air in the office 5/18/2022 Wictoria Groomer Lemke, Jonathan Gentry Primary School 24905 PLEASE check our air in the office 5/18/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School 24908 AC not warning to shat off on desired temperature. Sinked with bod about this. 24908 AC not warning to shat off on desired temperature. Sinked under the morning. 5/19/2022 Janue Fairchild Lemke, Jonathan Gentry Primary School 24908 AC isn't working Sinked under the morning. 5/19/2022 Janue Fairchild Lemke, Jonathan Gentry Primary School 24908 AC isn't working Sinked under the morning. 5/19/2022 Janue Fairchild Lemke, Jonathan Gentry Primary School 34908 AC isn't working Sinked under the morning. 5/19/2022 Janue Fairchild Lemke, Jonathan Gentry Primary School 34908 AC isn't working Sinked under the morning. 5/19/2022 Janue Fairchild Lemke, Jonathan Gentry Primary School 46908 Bent dails in cascadial none from morning hardware above is if floor celling grid. Water went into 1st floor teachers lounge, Check And Born drains in excellant	24892		5/12/2022	Annette Selent	Lemke, Jonathan	Gentry High School
24895 Toilet seat needs to be fixed 512/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24896 Toilet seat needs to be fixed 512/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Toilet seat needs to be fixed 512/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking. Rug is soaked. 516/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24899 Replace light bulbs in bathrooms. 513/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24899 Replace light bulbs in bathrooms. 513/2022 Janae Fairchild Hollaway, Bob Gentry Primary School on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side. 2nd lower. 24900 Offices and it is very hot in here. If you go just othe dra room its through there on the other side. 2nd lower. 24901 Sink is leaking undermental, just noticed the bottom cabine has water in it. PLEASE check our air in the office 518/2022 Wictoria Groomer Lemke, Jonathan Gentry Primary School 24905 PLEASE check our air in the office 518/2022 Sandy Duncan Lemke, Jonathan Gentry High School 24906 AC not wanting to what off on desired temperature. Runs all night and is 50 degrees in the morning. 5/19/2022 Janae Fairchild Lemke, Jonathan Gentry High School 24906 Water and drain area does not get hot. It talked with Bob about this. 24908 AC isn't working School Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School 24916 Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School 24916 Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebecca Young Lemke, Jonathan Gentry Primary School 24917 Please move saled and hot line back middle area in serving lines. Achool of the search of the order of the proper operation. Mop sink and hot water overflow in it. Thank you. School 24922 Sandy Duncan Lemke, Jonathan Gentry High School	24893	Toilet seat needs to be fixed	5/12/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
24896 Toilet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24897 Toilet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking. Rug is 300ked. 5/16/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24899 Replace light platib in bathrooms. 5/13/2022 Janus Fairchild Hollaway, Bob Gentry Primary School 3/13/2022 Janus Fairchild Hollaway, Bob Gentry High School Gentry High School Gentry High School and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dur room is through there on the other side. 2nd tower. 24904 Sink is leaking undermeath, sust noticed the hottom cabine has water in it. 24905 PLEASE check our air in the office 5/18/2022 Michelle Jech Hollaway, Bob Gentry Primary School 24906 garbo water and drain area does not get hot. I talked with Bob about this. AC not wanting to shut not on desired temperature. Runs all night and is 50 degrees in the morning. 42908 AC isn't working School Urinal in cafetria restroom continuously flashes School Urinal in cafetria restroom continuously flashes School Centry Primary School Centry Primary School Content of the Centry Primary School Content Christian Runs and Indian area does not get hot. I talked with Bob about this. 42908 AC isn't working School Urinal in cafetria restroom continuously flashes School Gentry Primary School Centry gaid in 1st Hoor teacher's lounge. Repair hose drain line above cailing grid Mater went into 1st Hoor teacher's lounge. Repair hose drain line above in School Gentry Primary School Centry grid in 1st Hoor teacher's lounge. Repair hose drain line above in School Sch	24894	Toilet seat needs to be fixed	5/13/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
24897 Toilet seat needs to be fixed 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24898 Water fountain by teachers' lounge is leaking. Rug is soaked. 5/12/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24899 Replace light bubbs in barbrooms. 5/16/2022 Victoria Groomer Hollaway, Bob Gentry Primary School 24899 The air conditioner will not work. The heat stays on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side. 2nd toron its through there on the other side. 2nd toron its strough there on the other side. 2nd toron its water in it. 24900 FLEASE check our air in the office 5/18/2022 Wictoria Groomer Lemke, Jonathan Gentry Primary School 24905 PLEASE check our air in the office 5/18/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School 24906 garbo water and drain area does not get hot. I alked with Bob about this. AC not wanning to shut off on desired temperature. AC not wanning to shut off on desired temperature. AC not wanning to shut off on desired temperature. AC not wanning to shut off on desired temperature. AC not wanning to shut off on desired temperature. AC is and water and its 50 degrees in the morning. 5/19/2022 Janae Fairchild Lemke, Jonathan Gentry Primary School 24909 AC is at working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry Primary School Centry Primary School 4000 William School Centry Primary School Ce	24895	Toilet seat needs to be fixed	5/12/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
24899 Water fountain by teachers' lounge is leaking. Rug is soaked. 24899 Replace light bulbs in bathrooms. The air conditioner will not work. The heat stays on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through there on the other side. 2nd to room its through the other one other side. 2nd through the room its principle of	24896	Toilet seat needs to be fixed	5/12/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
24899 Replace light bulbs in bulbs on bulbs on the stays on and it stays 75 in there this will be used as offices and it is very but in here. If you go into the dra room is through there on the other side. 2nd tower. 24900 Sink is leaking underneathjust noticed the bottom cabine than water in it. 24905 PLEASE check our air in the office 24906 garbo water and drain area does not get hot. I talked with Bob about this. AC not wanting to shut off on desired temperature. Runs all night and is 50 degrees in the morning. AC not wanting to shut off on desired temperature. Runs all night and is 50 degrees in the morning. 42906 Urinal in cafeteria restroom continuously flushes 24906 Urinal in cafeteria restroom continuously flushes 24907 Please move salad and hot line back middle area in serving lines. 24918 Air does not water opportunion. Mop sink and hot water overflow line. Thank you. 24927 Please move salad and hot line back middle area in serving lines. Air does not seem to be working 24933 Door will not lock going into the hallway of the	24897	Toilet seat needs to be fixed	5/12/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
The air conditioner will not work. The heat stays on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side. 2nd tower. 24904 Sink is leaking underneathjust noticed the bottom cabinet has water in it. 24905 PLEASE check our air in the office 5/18/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School talked with Bob about this. 24906 garbo water and drain area does not get the I. I talked with Bob about this. AC not wanting to shut off on desired temperature. Runs all night and is 50 degrees in the morning. 24908 AC isn't working 5/20/2022 Rebeca Young Lemke, Jonathan Gentry High School 24906 Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebeca Young Lemke, Jonathan Gentry High School Centry Primary School William and the state of the primary School Centry Primary School Centry Primary School Centry Primary School Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebeca Young Lemke, Jonathan Gentry High School Centry Primary School Cent	24898	, , , , , ,	5/16/2022	Victoria Groomer	Hollaway, Bob	Gentry Primary School
on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side . 2nd tower. 24904 Sink is leaking underneathjust noticed the bottom cabinet has water in it. 24905 PLEASE check our air in the office 5/18/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School 24906 garbo water and drain area does not get hot. I talked with Bob about this. AC not wanting to shut off on desired temperature. Runs all night and is 50 degrees in the morning. 24909 AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School 24916 Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebecca Young Lemke, Jonathan Gentry Primary School does to be cilling grid. Water went into 1st floor teacher's lounge. Replace stained ceiling tile in hallway outside lounge, Repair loose drain line above ceiling grid in 1st floor teacher's lounge. Replace missing or stained ceiling tile in hallway outside lounge, Repair loose drain line above ceiling grid in 1st floor teacher's lounge. Replace stained ceiling tile in hallway outside lounge, Repair loose drain line above ceiling grid in 1st floor teacher's lounge. Replace stained ceiling tiles in lounge area. Replace sta	24899	Replace light bulbs in bathrooms.	5/13/2022	Janae Fairchild	Hollaway, Bob	Gentry High School
24905 PLEASE check our air in the office 24906 garbo water and drain area does not get hot. I talked with Bob about this. 24908 AC not wanting to shut off on desired temperature. Runs all night and is 50 degrees in the morning. 24909 AC isn't working 24909 AC isn't working 24906 Urinal in cafeteria restroom continuously flushes 24916 Urinal in cafeteria restroom continuously flushes 24916 Urinal in cafeteria restroom continuously flushes 24918 Ober the continuously flushes or ceiling grid. Water went into 1st floor teacher's lounge. Replace missing or stained ceiling tile in hallway outside lounge. Replace of arin line above ceiling grid in 1st floor teachers lounge. Check 2nd floor drains in custodial room for proper operation. Mop sink and hot water overflow line. Thank you. 24927 Please move salad and hot line back middle area in serving lines. 24932 Air does not seem to be working 24933 Door will not lock going into the hallway of the	24900	on and it stays 75 in there this will be used as offices and it is very hot in here. If you go into the dra room its through there on the other side. 2nd	5/20/2022	Melinda Ramsey	Lemke, Jonathan	•
24906 garbo water and drain area does not get hot. I talked with Bob about this. 24908 AC not wanting to shut off on desired temperature. Runs all night and is \$0 degrees in the morning. 24909 AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School 24909 AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School 24916 Urinal in cafeteria restroom continuously flushes 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Rebecca Young Lemke, Jonathan Gentry High School AC isn't working 5/20/2022 Jason Barrett Lemke, Jonathan Gentry High School AC isn't working 5/24/2022 Jason Barrett Lemke, Jonathan Gentry High School AC not wanting to shut off on desired temperature. School AC isn't working 5/24/2022 Jason Barrett Lemke, Jonathan Gentry High School AC not wanting to shut off on desired temperature. School Sc	24904	e ,	5/20/2022	Michelle Jech	Hollaway, Bob	Gentry Primary School
24908	24905	PLEASE check our air in the office	5/18/2022	Victoria Groomer	Lemke, Jonathan	Gentry Primary School
Runs all night and is 50 degrees in the morning. S/19/2022 Janae Fairchild Lemke, Jonathan Gentry High School	24906		5/18/2022	Sandy Duncan	Lemke, Jonathan	Gentry Primary School
24916 Urinal in cafeteria restroom continuously flushes Mop bucket overflowed in 2nd floor custodial closet. Drain backed up and drain line became loose from mounting hardware above 1st floor ceiling grid. Water went into 1st floor teacher's lounge. Replace missing or stained ceiling tile in hallway outside lounge, Repair loose drain line above ceiling grid in 1st floor teachers lounge. Repair loose drain line above ceiling grid in 1st floor teachers lounge. Check 2nd floor drains in custodial room for proper operation. Mop sink and hot water overflow line. Thank you. 24927 Please move salad and hot line back middle area in serving lines. 24932 Air does not seem to be working Door will not lock going into the hallway of the 5/26/2022 Vickey Palla Rosa Hollaway Bob Gentry Middle School	24908	=	5/19/2022	Janae Fairchild	Lemke, Jonathan	Gentry High School
Mop bucket overflowed in 2nd floor custodial closet. Drain backed up and drain line became loose from mounting hardware above 1st floor ceiling grid. Water went into 1st floor teacher's lounge. Replace missing or stained ceiling tile in hallway outside lounge. Repair loose drain line above ceiling grid in 1st floor teachers lounge. Check 2nd floor drains in custodial room for proper operation. Mop sink and hot water overflow line. Thank you. 24927 please move salad and hot line back middle area in serving lines. Air does not seem to be working 5/25/2022 Jason Barrett Lemke, Jonathan Gentry High School 5/25/2022 Sandy Duncan Lemke, Jonathan Gentry High School 5/25/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School	24909	AC isn't working	5/20/2022	Rebecca Young	Lemke, Jonathan	1
closet. Drain backed up and drain line became loose from mounting hardware above 1st floor ceiling grid. Water went into 1st floor teacher's lounge. Replace missing or stained ceiling tiles in lounge area. Replace stained ceiling tile in hallway outside lounge. Repair loose drain line above ceiling grid in 1st floor teachers lounge. Check 2nd floor drains in custodial room for proper operation. Mop sink and hot water overflow line. Thank you. 24927 please move salad and hot line back middle area in serving lines. Air does not seem to be working Door will not lock going into the hallway of the solution. Since the content of the proper operation into the hallway of the solution. Wickey Dalla Rosa Vickey Dalla Rosa Hollaway Bob Gentry Middle School	24916	Urinal in cafeteria restroom continuously flushes	5/20/2022		Hollaway, Bob	Gentry Primary School
24927 Serving lines. S25/2022 Sandy Duncan Lemke, Jonathan Gentry High School 24932 Air does not seem to be working 5/25/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School 24933 Door will not lock going into the hallway of the 5/26/2022 Vickey Dalla Rosa Hollaway Bob Gentry Middle School	24918	closet. Drain backed up and drain line became loose from mounting hardware above 1st floor ceiling grid. Water went into 1st floor teacher's lounge. Replace missing or stained ceiling tiles in lounge area. Replace stained ceiling tile in hallway outside lounge. Repair loose drain line above ceiling grid in 1st floor teachers lounge. Check 2nd floor drains in custodial room for proper operation.	5/24/2022	Jason Barrett	Lemke, Jonathan	
Air does not seem to be working 5/25/2022 Victoria Groomer Lemke, Jonathan Gentry Primary School Door will not lock going into the hallway of the 5/26/2022 Vickey Dalla Rosa Hollaway Bob Gentry Middle School	24927	*	5/25/2022	Sandy Duncan	Lemke, Jonathan	Gentry High School
7/4955 I STANDARD TO STAND THE STANDARD TO STAND THE STANDARD TO STANDAR	24932	Air does not seem to be working	5/25/2022	Victoria Groomer	Lemke, Jonathan	Gentry Primary School
	24933		5/26/2022	Vickey Dalla Rosa	Hollaway, Bob	Gentry Middle School

24935 24936	this system THis tower will be my office I was wondering if I could have a fan or something I will be working in here all summer and as of right now it is 78 with the door open to the classroom. Thank you for responding so quickly with the first request. Monthly - Portable CR Fire Alarm - Refer to PM	5/31/2022	Melinda Ramsey Jason Barrett	Barrett, Jason Barrett, Jason	Gentry Intermediate School Gentry High School
	schedule details.			·	, ,
24937	Monthly - Portable CR Fire Ext - Refer to PM schedule details.	5/31/2022	Jason Barrett	Barrett, Jason	Gentry High School
24938	freezer was 19 degrees this morning, Chris said running above zero last couple of days	5/31/2022	Sandy Duncan	Barrett, Jason	Gentry Primary School
25111	Yearly - Portable CR HVAC - Refer to PM schedule details.	5/31/2022	Jason Barrett	Barrett, Jason	Gentry High School
151 Compl	151 Completed Maintenance Workorders				